

Rkkj% ; hyl tknqtk ekbUI
Cable : UCIL, Tummalapalle

; jfu; e dkjijksku vMD bM; k fyfeVM tknqtk
(Hkkjr ljdkj dk l fku)
Mkd?kj% tknqtk ekbUI] >kj[k.M - 832 102

Qks / Phone : (08588)282766

QSI / Fax : (08588) 282704

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

i NRkkn / Enquiry

Lk es To	fykQkQaij ; g l ahkz fy[k	
	QUOTE THIS REFERENCE ON THE COVER	
	i NRkkn l 0 / Enquiry No.	1/PE180090/1
	Rkkjh[k / Date	24/01/2018
	fu; r rkjh[k / Due Date	27/02/2018

egk' k;]
di; k fuEufyf[kr l keku dh i nrz dsfy, fn, x, gekjsi usdsni jh vks vuska dsvubkj viushko Hk\$A viushko "dz
foHkx" dksmi; Or irsij fu; r rkjh[k l siM Mkd }kjk Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l 0 Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	<p>AIR CIRCUIT BREAKER (ACB),MODEL:3WT8161-4TF03-5AA2, (WITH DRAWABLE BREAKER WITH OUT GUIDE FRAME & ETU LOGIC) 3- POLE ,SIZE:1, IEC IN: 1600A, AC,50HZ,Ue=500V,Uimp: 8KV, Icu: 50KA, IEC: 60947-2, IDENTITY NO: 6640360330021 CONTRACT SUPPLY: 110V DC FOR CLOSING & TRIPPING, SPRING CHARGING SUPPLY:230V AC, MAKE:SIEMENS</p> <p>*) .BREAKERS SHOULD BE SUPPLIED WITH PROPER TEST/WARRANTEE CARDS *)UPGRADED MODEL OF EXACT MODEL OF SAME MAKE ONLY ACCEPTABLE. ()</p> <p>Refer: "Annexure-1" Part-1 (Pre-Qualification part-1), "Annexure-2"NIT Terms & Conditions,Annexure-3 PQC,"Annexure-4" Price Bid format,"Annexure-5" Earnest Money Deposit format</p>	3 No.

vugxud
Enclosures

Hkonh; / Yours faithfully

drs; jfu; e dkjijksku vMD bM; k fyfeVM
For URANIUM CORPORATION OF INDIA LIMITED

VENKATA NARENDRA.M
DY. SUPDT. (IND. ENG. / PUR)