

तार : यूसील, जादुगोड़ा माइन्स
Cable : UCIL, Jaduguda Mines

PR# List

1. 1/PR180543

यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड, जादुगोड़ा
(भारत सरकार का संस्थान)

डाकघर : जादुगोड़ा माइन्स, झारखण्ड-832 102

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

पूछताछ / Enquiry

फोन / Phone : (0657) 2730122
2730222, 2730353
फैक्स / Fax : (0657) 2730322
(0657) 2731332

E-mail : jadpur@uraniumcorp.in

सेवा में / To

लिफाफे पर यह संदर्भ लिखें
QUOTE THIS REFERENCE ON THE COVER
2/PE171275/1

पूछताछ सं० / Enquiry No.

10/11/2017

तारीख / Date

12/12/2017

नियत तारीख / Due Date

महाशय,

कृपया निम्नलिखित सामान की पूर्ति के लिए दिए गए हमारे पन्ने के दूसरी ओर अनुदेशों के अनुसार अपने भाव भेजें। अपने भाव भंडार "कय विभाग" को उपयुक्त पते पर नियत तारीख से पूर्व डाक द्वारा भेजें।

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

क्रम सं० Sl. No.	सामान का नाम / DESCRIPTION OF STORES	मात्रा QUANTITY
	Please refer the attached annexure for materials' details	
	Note : 1. Please quote your rate in figure and word without overwriting / cutting and submit your offer in duplicate for consideration. 2. FAX OFFER WILL NOT BE ACCEPTED. 3. Your offer should be valid for minimum 90 days. 4. Entire Bank charges, if any will be borne by you. 5. Our terms of payment will be full within 30 days from the date of Receipt & acceptance of materials.	

अनुलग्नक

Enclosures

Specification &

Annexure:A, 1, 2 & 3.

CC To:

File

भवदीय / Yours faithfully

कृते यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड

For URANIUM CORPORATION OF INDIA LIMITED

13/11/17
RAJIL RAJ

TECHNICAL SPECIFICATION OF IDLERS


SL NO	TYPE OF IDLER	TROUGHING IDLER	IMPACT IDLER	TROUGHING TRAINING IDLER	R.D.RETRUN IDLER
1	NOMINAL O.D. OF ROLL (MM)	139.7	—	139.7	—
2	THICKNESS OF ROLL (MM)	5.4	5.4	5.4	5.4
3	MATERIAL OF ROLL	E.R.W. TUBE AS PER IS :1239			
4	SHAFT DIAMETER (MM)	25 (C-40 IS—1570)			
5	BEARING TYPE	DEEP GROOVE BALL BEARING MAKE SKF/FAG/TATA 6305			
6	DYNAMIC LOAD RATING OF BEARING	1100Kgf	1100Kgf	1100Kgf	1100Kgf
7	ROLL MOUNTING	DROP IN SLOT TYPE			
8	LUBRICATION	LUBRICATED FOR LIFE (SERVO GEM EP—2)			
9	O.D. OF RUBBER DISC FOR IMPACT IDLER	—	152	—	152
10	O.D. OF STEEL TUBE FOR IMPACT IDLER	—	89	—	60
11	TROUGHING ANGLE (Deg)	30 ⁰	30 ⁰	30 ⁰	—
12	TYPE OF FRAME	CHANNEL BASE	CHANNEL BASE	CHANNEL BASE	CHANNEL BASE
13	SEALING ARRANGEMENT	Roller should be grease packed and sealed for life .Roller should be provided with a multi labyrinth non contact type seal to keep dust and moisture away from the roller bearing. Water proof weather cap to be provided at the roller end to prevent water entering. Roller should be provided with back seal to prevent grease entering inside the roller.			
14	PAINT	All roller and hanger/frames should be painted with one coat of Zinc chromate primer and two coats of Smoke Grey synthetic enamel paint of Shalimar/Berger etc.			

 (aj)
se)

Sl.No.	Mat. Code	Idler for 600MM Width Conveyor Belt		Qty	Unit
		Type of Idler	Size of Idler		
1	300019003399	Troughing Idler	Roller Size:139.7mm X 235 Long X 25mm Shaft Diameter; Long: 890mm & Hole Center 840mm	10	No.
2	300019003401	R.D. Return Idler	Disc O/D : 139.7mm X Hole Centre 860mm X 20mm Shaft Dia. With two Ends Hanger Bracket and No. of Rubber Disc: 6	18	No.
3	300019003404	Troughing Training Idler	Supporting Base of Channel: 100mm X 50mm. Long : 890mm & Hole Centre: 840mm	6	No.
4	300019003405	Troughing Impact Idler	Roller Size:152mm X 235mm Long X 25mm Shaft Dia. Long: 890mm & Hole Centre: 840mm	8	No.
		Idler for 900MM Width Conveyor Belt			
		Type of Idler	Size of Idler		
5	300019003419	Troughing Idler	Roller Size:139.7mm X 350 Long X 25mm Shaft Diameter; Long: 1220mm & Hole Center 1150mm	18	No.
6	300019003424	Troughing Impact Idler	Roller Size:150mm X 350 Long X 25mm Shaft Diameter; Long: 1220mm & Hole Center 1150mm	12	No.
7	300019003426	Troughing Training Idler	Supporting Base of Channel: 100mm X 50mm; Long : 1220mm & Hole Centre: 1150mm	6	No.
8	300019003427	R.D. Return Idler	Disc O/D : 139.7mm X Hole Centre 1220mm X 25mm Shaft Dia. With two Ends Hanger Bracket and No. of Rubber Disc: 09	20	No.
		Idler for 1200MM Width Conveyor Belt			
		Type of Idler	Size of Idler		
9	300019003431	R.D. Return Idler	Rubber Roller size: 140mm OD x 150mm Width Hole Center 1350mm X 25mm Shaft with two ends hanger bracket and no. of Rubber Disc: 12	30	No.
10	300019003440	Troughing Idler	Roller Size:139.7mm X 430 Long X 25mm Shaft Diameter; Long: 1510mm & Hole Center 1450mm	8	No.
11	300019003443	Troughing Training Idler	Supporting Base of Channel: 100mm X 50mm With vertical Guide Roller; Long : 1510mm & Hole Centre: 1450mm	8	No.
12	300019003445	Troughing Impact Idler	Roller Size:152.4mm X 430mm Long X 25mm Shaft; Long: 1510mm & Hole Center 1450mm	24	No.
		Idler for 1000MM Width Conveyor Belt			
		Type of Idler	Size of Idler		
13	300019003450	R.D. Return Idler	Roller Size:139.7mm X 1360mm Long X 25mm Shaft Dia. With two ends hanger bracket and no. of Rubber Disc: 10	30	No.
14	300019003451	Troughing Impact Idler	Roller Size:O/D - 152mm X 380mm Long X 25mm Shaft Dia; Long: 1360mm & Hole Center 1290mm	18	No.
15	300019003452	Troughing Idler	Roller Size:O/D - 139.7mm X 380 Long X 25mm Shaft Diameter; Long: 1360mm & Hole Center 1290mm	18	No.
16	300019003459	Troughing Training Idler	Supporting Base of Channel: 100mm X 50mm ; Long : 1360mm & Hole Centre: 1290mm	10	No.
		Idler for 800MM Width Conveyor Belt			
		Type of Idler	Size of Idler		
17	300019003453	Troughing Idler	Roller Size: 114.3mm X 315 Long X 25mm Shaft Diameter; Long: 1150mm & Hole Center 1100mm	24	No.
18	300019003454	Troughing Impact Idler	Roller Size: 152.4mm X 312mm Long X 25mm Shaft ; Long: 1150mm & Hole Center 1100mm	18	No.
19	300019003455	R.D. Return Idler	Disc O/D : 139.7mm X Hole Centre 1000mm X 25mm Shaft Dia. With two Ends Hanger Bracket and No. of Rubber Disc: 8	30	No.
20	300019003462	Troughing Training Idler	Supporting Base of Channel: 100mm X 50mm ; Long : 1150mm & Hole Centre: 1100mm	12	No.

1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3 [ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Technocommercial Cum Price Part) & Annexure -3 (Pre-Qualification Criteria)]

2. Please do not send your offer in hard copy. Bidder should submit their offer through our website i.e. www.uraniumcorp.in or www.tenderwizard.com/UCILEPROC only.


(Akhil Raj)
Dy.Suptd. (Mech/Purchase)