

Rkkj%; Wly] tknqkkl- ekbll
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM] tknqkkl-
(Hkkjr ljdkj dk l bFkkU)
Mkd?kj% tknqkkl- ekbll] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

Email : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

FYkQkQai j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 2/PE161934/1

Rkkjh[k / Date 09/02/2017

fu; r rkjh[k / Due Date 14/03/2017

egk' k;]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi llusdsntvjh vks vupskd dsvuokj vi usHko HksaA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	HDPE Pipe 6Kg/cm2 (PN6) Working Pressure Manufactured as per IS:4984:1995; Size: 50 DN (50mm OD); Wall Thickness: 3.5 to 4.1 mm, Material: PE 63; Brand: "Hasti" OR Equivalent. Mode of tender: Two part single stage Part-I: Pre Qualification Part Part-II: Techno-commercial cum price part Details as per annexure: 1, 2 & 3 attached. ()	100 Mtr

vugXud

Enclosures

Annexure : 1, 2 & 3.

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

AKHIL RAJ

DY. SUPDT. (MECH./Purchase)

vuošk

1 di; k viusnjšval , oa' k'n eam) r djšA

2 QBI @b&ey I sfufonk Lohdkj ughafd; stk, šsA

3 fof/k ekU; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkšspkfg, A

4 I Ei vZca 'k'p ; fn dksZgš rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij I kexlz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads Hkhrj ij v dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hkšsx, eky xlr0; LFku tknškk} ujoki gkM+, oarjjeMhg ij fu%' k'p I q'pZh dsvk/kkj ij gkšk pkfg, A

7 dj % dj p'nh] mRiknu 'k'p vkfn dh fuf' pr nj tgmbl yh ; kš; gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , šh ol fy; kadsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; šA

8 ek=k % bl eanh xbZl keku dh ek=k d'ey vuqfur gšA dšk bl eanh xbZi jv ek=k dsfy, vknšk nšdsfy, ck/; ughagšA ; fn m} r dher v'k'kd ek=k ij ykxvu gksrks, šk fy[kšA

9 ueqk % vxj uevšakstk, arksfcuk fdI h i k'kij dšnšgkšvšjš blgafufonk nkrk dksy'kš; k tkuk vko' ; d ugh gkšk A

10 I q'pZh % te' kšij eabl dsvkl ikl vofLFkr i fvdRrZ'kadsgekjshk. Mkj tknškk} ujoki gkM+, oarjjeMhg ij I q'pZh dšHkko nšspkfg, A

11 dšk dksdksZkh fufonk fcuk dksZdkj.k crk; sjnš djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vknšk nšsdk vf/kdkj gšA

12 i pkfyr I jdkjh ifji= dsvuqkj i k'kfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/ Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.