

Rkkj% : hyl tknkk ekbUI
Cable : UCIL, Tummalapalle

; jfu; e dkjijksku vKD bM; k fyfeVM tknkk
(Hkkjr Ij dki dk l fku)
Mkd?kj% tknkk ekbUI] >kj[k.M - 832 102

Qks / Phone : (08588)282766

QSI / Fax : (08588) 282704

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

i NRkKN / Enquiry

Lk es To	fykQkQai j ; g l aHkZ fy[k	
	QUOTE THIS REFERENCE ON THE COVER	
	i NRkKN l 0 / Enquiry No.	2/PE170807/1
	Rkkjh[k / Date	06/10/2017
	fu; r rkjh[k / Due Date	10/11/2017

egk' k;]
di; k fuEufyf[kr l keku dh i nrZ dsfy, fn, x, gekjsi Udsdnt jh vks vuqsdsvuqkj viushkko Hk\$A viushkko "dz
foHkx" dksmi; Qr irsij fu; r rkjh[k l si dZ Mkd }kj Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l 0 SI.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	Type MTMa 03960 SS SI.No-081117492/081117493 Power Supply 415V,50HZ,0.037kw Amp Peak Dosing Rate-960 lit/hr @ 03Bar IP 65 () Supply of Flocculant Dosing Pumps along with Motor for Neutral Thickener & Tailing Thickner. NOTE: Specific Terms and Conditions attached at Annexure-1 and Price Bid format attached at Annexure-2.	4 Set

vugXud
Enclosures

Hkonh; / Yours faithfully

drs; jfu; e dkjijksku vKD bM; k fyfeVM
For URANIUM CORPORATION OF INDIA LIMITED

C MATHIVANAN
Chief Controller of Purchase