

Rkkj%; Wyl tkngkkl- ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM] tkngkkl-
(Hkkjr ljdkj dk l BfkkU)
Mkd?kj% tkngkkl- ekbUl] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQai j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 1/PE170288/7

Rkkjh[k / Date 06/06/2017

fu; r rkjh[k / Due Date 11/07/2017

egk'k;]

di;k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lussdntvjh vls vuska dsvuokj vi usHko Hk\$AA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	MEGGAR LOW TENSION MEGGAR L.T, RANGE:1000 VOLT 200 M.OHMS(INSULATION TESTER) HAND DRIVEN TYPE VOLTAGE 1000 VOLTS. MODEL: CIE/444, RPM-160,IS:2992. MAKE: OIE () Bidder should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & ANNEXURE -3 (Pre-Qualification Criteria)] OFFER SUBMITTED IN SINGLE PART WILL BE REJECTED.	2 Number

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjsval , oa' kñ eam) ò djA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, aSA

3 fof/k ekl; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekl; gkaspkfg, A

4 I Ei wZcA 'kòd ; fn dksZgk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh gekjsHk. Mkj ij I kexlz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads
Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hk\$ sx, eky xlr0; LFku tkn\$kk\$ ujoki gkM+, oarj eMhg ij fu% kòd I qpZh dsvk/kkj
ij gsk pkfg, A

7 dj % dj p\$h mRiknu 'kòd vkfn dh fuf' pr nj tgmbl yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea
, sh ol fy; kadsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; aA

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dzk bl eanh xbZi jv ek=k dsfy, vkn\$ nssdsfy,
ck/;
ughagSA ; fn m} ò dher vA'kd ek=k ij ykxvu gsrks, \$k fy[kA

9 ueqk % vxj uev\$ekstk, arksfcuk fdI h i kjk dsnsgk\$svk\$ blgafufonk nkrk dksy\$; k tkuk vko'; d ugh
gk\$ A

10 I qpZh % te'ksi j eabl dsvkl ikl vofLFkr i fvdRrZvkadksgekjsHk. Mkj tkn\$kk\$ ujoki gkM+, oarj eMhg
ij
I qpZh dshkko n\$spkfg, A

11 dzk dksdk\$Zkh fufonk fcuk dksZdkj.k crk; sjn\$ djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vkn\$
nssdk vf/kdkj gSA

12 i pkfyr Ijdkjh ifji= dsvuqkj i kFfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.