

Schedule of Quantity for: "Construction of drain near CISF barrack at Turamdih Township"

N. I. T No.: TMD/MIN – 672

[P R I C E P A R T]

Schedule of Quantity for: **"Construction of drain near CISF barrack at Turamdih Township."**

N. I. T No. TMD/MIN - 672

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
1	Earth work in excavation in foundation trenches, pits or drains not exceeding 1.5 Mtr in depth, 2 Mtr in width as well as 10 Sq.m on plan including clearing of bushes and shrubs from ground level including trimming dressing of sides and ramming of bottoms, lift upto 1.5 Mtr including dewatering getting out the excavated soil and disposal of surplus excavated soil within a lead of 100 m including cost of all materials, labour, tools and tackles etc. as per drawings, specifications and directions of Engineer-in-charge. a) Ordinary/ dense soil mixed with gravels / rock fragments / loose waste	110.00	CUM			
2	Earth work in back filling with available earth including watering and compaction at all elevations around foundations, walls, wells, tunnels, pits, culverts trenches, road approaches and in plinth filling and area filling as per specifications and drawings and as directed by the engineer-in-charge with selected spoils within a lead of 100 Mtr.	50.00	CUM			

N. I. T No. TMD/MIN - 672

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
3	Supply, mix place in position compact & cure cement concrete 1:3:6 (1 Cement: 3 coarse sand: 6) graded stone aggregate 20mm nominal size below foundations, walls, wells, pits, trenches etc. as per specifications, drawings and directions of the Engineer -in-charge including cost of all materials, labour, tools and tackles etc. including cost of cement, centering and shuttering.	15.00	CUM			
4	Supply and laying in position brick work with designate 75 bricks (compressive strength not less than 75 Kg/Sq.cm) in foundation, trench and upto plinth in cement-coarse sand mortar (1:6) including mixing mortar, laying bricks, raking joints, curing etc. complete with all materials and labour but including cost of cement as per drawings and specifications.	60.00	CUM			
5	15 mm thick (minimum) plastering with 1:6 (1 cement:6 coarse sand) to walls, channels in roof and other structures at various elevations including demolishing old plaster (if require), mixing, laying finishing, curing and necessary scaffolding work complete as per drawings, specifications and instructions of the Engineer with all materials, labour, tools, tackles and cement etc.	450.00	Sqm			

N. I. T No. TMD/MIN - 672

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
6	Neat cement punning including curing as per directions of Engineer-in-charge including cost of all materials cement, labour, tools and tackles etc.	450.00	Sqm			
7	Providing & fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. (i) Single socketed pipes 110 mm diameter	40.00	RM			
8	Excavating trenches of required width for pipes, cables etc including excavation for sockets and dressing of sides, ramming of bottoms, depth upto 1.5m including getting out the excavated soil, and then returning the soil as required, inlayers not exceeding 20cm in depth including consolidating each deposited layer by ramming, watering, etc and disposing of surplus excavated soil as directed, within a lead of 50m: Pipes, cables etc exceeding 80mm dia but not exceeding 300 mm dia	40.00	RM			

N. I. T No. TMD/MIN - 672

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
9	Providing and laying in position cement concrete of specified grade including the cost of centering and shuttering - All work up to plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size	5.00	CUM			
10	Supply, bend, bind and place the following types of reinforcement in all types of reinforced concrete work at all elevations, including cleaning, straightening, cutting bending and binding steel with 18 SWG annealed wire or with welding such as tack, lap, but etc. with approved electrodes, providing concrete cover blocks, pins, chairs, nails, supports of reinforcement with all materials, labour tools and tackles complete as per drawings, specifications and directions of Engineer-in-charge but including cost of reinforcement steel Tor/Mild steel.	100.00	Kg			
11	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) with 25mm thick with all material as per direction of Engineer-in-charge	100.00	Sqm			
	Total					
	Rebate if any in words (_____)				%	

	Grand Total	
--	--------------------	--

(Total in words)

NOTE:

1. All items rates must be written in figures and words without which tenders are liable to be rejected.
2. All the pages of tender document must be duly signed by tenderer along with their seal.
3. Overall rebate, if any must be quoted in the above column only and written elsewhere shall not be considered.
4. Conditional tender submitted by the tenderer will be summarily rejected without any prejudice, hence tenderer are advice to quote their rates as per N. I. T conditions.
5. The Quoted rate should be inclusive of all taxes and duties including Service Tax

Signature with Seal