

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

i NRkkN / Enquiry

Lk es To	fykQkQai j ; g l aHkZ fy[k	
	QUOTE THIS REFERENCE ON THE COVER	
	i NRkkN l 0 / Enquiry No.	1/PE180273/1
	Rkkjh[k / Date	16/02/2018
	fu; r rkjh[k / Due Date	27/03/2018

egk' k;]
di; k fuEufyf[kr l keku dh i nrZ dsfy, fn, x, gekjsi l udsni jh vks vusla ds vuqkj viusHko Hk\$A viusHko "dz
foHkx" dksmi; Qr irsij fu; r rkjh[k l siM Mkd }kj Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

De l 0 Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	TRANSFORMER DIFFERENTIAL RELAY (877)/REF PROTECTION RELAY (64R-HV/LV): TYPE:RET541, RATING : CURRENT RATING1A, VOLTAGE RATING: 110V AC, 50HZ AUX.VOLTAGE : 110V DC, RELAY SHOULD BE SUITABLE FOR RESTRICTED EARTH FAULT TOO, MAKE: ABB ()	1 No.
2	BACK UP PROTECTION RELAY (50,51,67N)/ STAND BY EARTH FAULT RELAY (51INS HV/LV): TYPE:, RATING : CURRENT RATING:1A, VOLTAGE : 110V AC,50 HZ, AUX.VOLTAGE:110V DC, MAKE; ABB ()	1 No.
3	RELAY CASE: TYPE: RHG x20 CASE, SIZE:4 S 60C, MAKE:ABB ABOVE ITEMS ARE FOR ABB MAKE RELAYS FOR 132KV/6.6 KV TRANSFORMER CONTROL & PROTECTION PURPOSE, MAKE :ABB () Refer: "Annexure-1" Part-1 (Pre-Qualification part-1), "Annexure-2"NIT Terms & Conditions,Annexure-3 PQC,"Annexure-4" Price Bid format .	1 No.
Note : i) Bidders should confirm their acceptance for all the points mentioned in Annexure-I. ii) Interested parties meeting this enquiry terms & conditions may submit their quotations / offer in a sealed cover through Speed Post / DTDC courier / Professional courier compulsorily superscribed / mentioning our enquiry number on top of the envelop.. iii) Each offer should send in seperate envelop.		

vugxud
Enclosures

Hkonh; / Yours faithfully

drs; jfu; e dkjijksku vMD bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

K.A. JOHN

GFM(CIVIL)