

तार : यूसील, जादुगोड़ा माइन्स
Cable : UCIL, Jaduguda Mines

PR# List

1. 1/PR190765

यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड, जादुगोड़ा

(भारत सरकार का संस्थान)

डाकघर : जादुगोड़ा माइन्स, झारखण्ड-832 102

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

पूछताछ / Enquiry

फोन / Phone : (0657) 2730122
2730222, 2730353

फैक्स / Fax : (0657) 2730322
(0657) 2731332

E-mail : jadpur@uraniumcorp.in

सेवा में / To

लिफाफे पर यह संदर्भ लिखें

QUOTE THIS REFERENCE ON THE COVER

पूछताछ सं० / Enquiry No.

2/PE181600/1

तारीख / Date

11/12/2018

नियत तारीख / Due Date

30th 22/01/2019

महाशय,

कृपया निम्नलिखित सामान की पूर्ति के लिए दिए गए हमारे पन्ने के दूसरी ओर अनुदेशों के अनुसार अपने भाव भेजें। अपने भाव भंडार "क्रय विभाग" को उपयुक्त पते पर नियत तारीख से पूर्व डाक द्वारा भेजें।

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

क्रम सं० Sl. No.	सामान का नाम / DESCRIPTION OF STORES	मात्रा QUANTITY
	Please refer the attached annexure for materials' details	
<p>Note : 1. Please quote your rate in figure and word without overwriting / cutting and submit your offer in duplicate for consideration. 2. FAX OFFER WILL NOT BE ACCEPTED. 3. Your offer should be valid for minimum 90 days. 4. Entire Bank charges, if any will be borne by you. 5. Our terms of payment will be full within 30 days from the date of Receipt & acceptance of materials.</p>		

अनुलग्नक
Enclosures

Annexure:A,1,2 & 3.

CC To:

File

भवदीय / Yours faithfully

कृते यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड

For URANIUM CORPORATION OF INDIA LIMITED

AKHIL RAJ

Annexure: A for PE# 2/PE181600/1

Sl.No.	Material Code	Material Description	Qty	Unit
		Different types of Calibration Standard for Multiparameter Portable Meter; Model No: PCD650; Sr.No: 486680; Make: EUTECH :-		
1	300033008001	IONIC STRENGTH ADJUSTER: CALIBRATION ISA- ECISACL1BT	1	No.
2	300033008002	IONIC STRENGTH ADJUSTER: CHLORIDE REF ELECTROLYTE;ECRECL 1*60ML BOTTLE	1	No.
3	300033008003	EUTECH LOW LEVEL TOTAL IONIC STRENGTH ADJUSTER: CALIBRATION ISA - ECISAF11BT SHOULD BE USED WHEN MEASURING IN SAMPLE CONTAINING LESS THAN 2 X 10-5 m (0.4PPM)FLUORIDE.	1	No.
4	300033008004	CALIBRATION STANDARDS FOR FLUORIDE: CALIBRATION ISA - ECISAF12BT CALIBRATION STANDARDS FOR FLUORIDE: FLUORIDE REF ELECTROLYTE 1*60ML BOTT;ECREFL	1	No.
5	300033008005	IONIC STRENGTH ADJUSTER: CALIBRATION ISA -ECISAKO1BT	1	No.
6	300033008006	IONIC STRENGTH ADJUSTER: POTASSIUM REF ELECTOLYTE;ECREPOT;1*60ML BOTT	1	No.
7	300033008007	IONIC STRENGTH ADJUSTER: CALIBRATION ISA- ECISAM11BT	1	No.
8	300033008008	IONIC STRENGTH ADJUSTER: AMMONIUM ISE REF ELECTROLYTE;ECREAM;1*60ML BOTT	1	No.
9	300033008009	CALIBRATION SOLUTION: QUINHYDRONE 255MV- ECORQUIN;480ml solution bottle	1	No.
10	300033008061	CALIBRATION SOLUTION: QUINHYDRONE 86MV- ECORPQUIN086;480ml solution bottle	1	No.
11	300033008062	PH BUFFER SOLUTION: PH 1.68 BUFFER- ECBU1BT -480ML	1	No.
12	300033008063	PH BUFFER SOLUTION: PH 4.01 BUFFER- ECBU4BT -480ML	1	No.
13	300033008064	PH BUFFER SOLUTION: PH 7.00 BUFFER- ECBU7BT -480ML	1	No.
14	300033008065	PH BUFFER SOLUTION: PH 10.01 BUFFER- ECBU10BT -480ML	1	No.
15	300033008066	PH BUFFER SOLUTION: PH 12.45 BUFFER- ECBU12BT -480ML	1	No.
16	300033008067	CONDUCTIVITY SOLUTION: 100 US KCL- ECCON100BT;480 ML	1	No.
17	300033008068	CONDUCTIVITY SOLUTION: 500 US KCL- ECCON500BT;480ML	1	No.
18	300033008069	CONDUCTIVITY SOLUTION: 1413 US KCL- ECCON1413BT;480ML	1	No.
19	300033008070	CONDUCTIVITY SOLUTION: 2764 US KCL- ECCON2764BT;480ML	1	No.
20	300033008071	CONDUCTIVITY SOLUTION: 5.0 MS KCL- ECCON5000BT;480ML	1	No.
21	300033008072	CONDUCTIVITY SOLUTION: 12.88 MS KCL- ECCON1288BT;480ML	1	No.
22	300033008073	CONDUCTIVITY SOLUTION: 111.8 MS KCL- ECCON1118BT;480ML	1	No.
23	300033008074	TDS SOLUTIONS: 300 PPM- EC442300BT - 480ML	1	No.
24	300033008075	TDS SOLUTIONS: 1000 PPM- EC442100BT - 480ML	1	No.
25	300033008076	TDS SOLUTIONS: 3000 PPM- EC4423000BT - 480ML	1	No.
26	300033008077	TDS SOLUTIONS: 3000 PPM- EC4423000BT - 480ML	1	No.
27	300033008078	TDS SOLUTIONS: 3000 PPM- EC4423000BT - 480ML	1	No.
28	300033008079	CALIBRATION STANDARDS FOR NITRATE: STABDARD 0.1 M;ECSCSNT1BT	1	No.
29	300033008080	CALIBRATION STANDARDS FOR NITRATE: STABDARD 1000PPM;ECSCSNT2BT	1	No.
30	300033008081	CALIBRATION STANDARDS FOR NITRATE: STABDARD 100PPM;ECSCSNT3BT	1	No.
31	300033008082	CALIBRATION STANDARDS FOR CHLORIDE: STABDARD 0.1 M;ECSCSCL1BT	1	No.
32	300033008083	CALIBRATION STANDARDS FOR CHLORIDE: STABDARD 1000PPM;ECSCSCL2BT	1	No.
33	300033008084	CALIBRATION STANDARDS FOR CHLORIDE: STABDARD 100PPM;ECSCSCL3BT	1	No.
34	300033008085	CALIBRATION STANDARDS FOR FLUORIDE: STABDARD 0.1 M;ECSCSFL1BT	1	No.
35	300033008086	CALIBRATION STANDARDS FOR FLUORIDE: STABDARD 1000PPM;ECSCSFL2BT	1	No.
36	300033008087	CALIBRATION STANDARDS FOR FLUORIDE: STABDARD 100PPM;ECSCSFL3BT	1	No.
37	300033008088	CALIBRATION STANDARD FOR POTASSIUM: STABDARD 0.1M;ECSCSKO1BT	1	No.
38	300033008089	CALIBRATION STANDARD FOR POTASSIUM: STABDARD 1000PPM;ECSCSKO2BT	1	No.
39	300033008090	CALIBRATION STANDARD FOR AMMONIUM: STABDARD 0.1 M;ECSCSAM1BT	1	No.
40	300033008091	CALIBRATION STANDARD FOR AMMONIUM: STABDARD 1000PPM;ECSCSAM2BT	1	No.
41	300033008092	CALIBRATION STANDARD FOR AMMONIUM: STABDARD 100PPM;ECSCSAM3BT	1	No.

1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre-Qualification Part), ANNEXURE-2(Technocommercial Cum Price Part) &

Annexure -3 (Pre-Qualification Criteria)]

2. Please do not send your offer in hard copy. Bidder should submit their offer through OUR website i.e. www.uraniumcorp.in or www.tenderwizard.com/UCLEPROC only

Dy. Supdt (Mech/Purchase)
(Akhil Raj)