

Specification for 200 NB Control Valve

1	Type	:	Globe Type, Reverse Acting (Air to close)
2	Line Size	:	8" (200NB)
3	Flow Range	:	3300 m ³ /hr (nominal) - 4000 m ³ /hr (max)
4	Purpose	:	Flow regulation of vacuum in precoat area
5	Valve Characteristics	:	Equal percentage
6	Application	:	Vacuum regulation in precoat
7	Line Pressure (inlet)	:	650 mmHg
8	Line Pressure (outlet)	:	570 mmHg
9	Input Signal	:	4 to 20 mA
10	Fail Safe	:	Valve open
11	Air Supply	:	3 to 4 kg/cm ²
12	Material	:	
13	Valve Body	:	SS 316
14	Valve Stem	:	SS 316
15	Actuator Stem	:	SS 316
16	Seat	:	SS 316
17	Valve Plug	:	SS 316
18	Gland Packing	:	PTFE
19	Accessories	:	Electro-pneumatic positioner with gauge group, Air filter regulator, <i>Hand fitted</i>
20	End connection	:	Flanged as per ANSI 150, Flange Drilling as per ANSI 16.5
22	Quantity	:	1
23	Make	:	MIL, Forbes Marshall, Instrument Limited, R.K. Controls

24

Manual operation: Through Hand wheel

Kindly
09/10/16

1
1-11-16