

14	CONNECTION BLOCK-LOWER MCU37S0153M00PL. ()	3 No.
15	HT BRASS STUD MBC37S4075200MC. ()	3 No.
16	ISOLATING CONTACT-800A-FLAT TYPE MVIK00190-01. ()	9 No.
17	SUPPORT INSULATOR-UPPER MEP25S3549300FN. ()	3 No.
18	PERMACAST CAST INSULATOR-LOWER MEP25S3047200FN. ()	3 No.
19	FUSE TRIP MECHANISM ASSY. MVU25S3550800SA. ()	1 No.
20	24PIN PLUG & SOCKET ASSY. MHU39S0019000FN. ()	1 No.
21	RACKIN SCREW MST25S35510NAPL. ()	1 No.
22	RACKIN NUT MBC-39-32417. ()	1 No.
23	EARTHING PLUG MHC-39-324252. ()	1 No.
24	LIMIT SWITCH 1NO+1NC POSITION ESW-B-AAA00-001. ()	8 No.

SPARES FOR HT VACUUM CONTACTOR PANEL 6.6KV, 40 AMPS, TYPE: HWC,
MAKE:AREVA AS PER ATTACHED IN ANNEXURE : HWC SPARES.

Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.

vugxud
Enclosures

Hkonh; / Yours faithfully
drs; jfu; e dkj; ksk; vkd; bM; k fyfevM
For URANIUM CORPORATION OF INDIA LIMITED

D. SRINIVAS
Chief Controller of Stores

vuošk

- 1 di; k viusnj] fcuk vkøj jkbax@dkV&Nw/sval , oa' kCn eam) r djavk\$ fufonk l aHkz l q; k] fu/kkfjr frffk , oafufonkdj dsuke rFkk i rk fyf[kr nksi fr; kaeaejjca i zrko fopkjkFKZ i zr q djaA
- 2 QBI @b&esy l sfufonk Lohdkj ughafd; stk, aSA
- 3 fof/k eku; rk % Hkko bl iNrkn dh rkjh[k l s90 fnu ; k vf/kd l e; rd fof/keku; gkaspkfg, A
- 4 l EiWkz ca 'kqd ; fn dks gk\$ rksvki ds}kjk ogu fd; k tk, xk A
- 5 vnk; xh % gekjsvkn; xh dh 'kr7 gksh] gekjshk.Mkj ij l kexz dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads Hkhrj ijh dher vnk dh tk, xh A
- 6 dher 'kr5% vki }kjk Hk\$ sx, eky xlr0; LFkku reykiYyh ij fu%' kqd l opkh dsvk/kkj ij gk\$ pkfg, A
- 7 dj % dj pph] mRiknu 'kqd vkfn dh fuf' pr nj tgl ol yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , sh ol ry; kadsnkoka ij fopkj ughafd; k tk, xk tc rd fd ; sfQj l su yxkbz tk; aA
- 8 ek=k % bl eanh xbz l keku dh ek=k d\$y vuqfur gSA dzk bl eanh xbz ijh ek=k dsfy, vkn\$ n\$dsfy, ck/; ughagSA ; fn m\$ r dher vaf' kd ek=k ij ykxw u gksrks, \$k fy[k\$A
- 9 ueq % vxj ueu\$e\$stk, arksfcuk fd l h i kjk dsn\$sgk\$svk\$ blga fufonk nkrk dksyk\$; k tkuk vko'; d ugh gk\$ A
- 10 l opkh % ifyHkangk eabl dsvkl ikl vofLFkr i frdRrkvkadsgekjshk.Mkj reykiYyh ij l opkh dshko n\$ pkfg, A
- 11 dzk dksdk\$ Hkh fufonk fcuk dks\$ dkj.k crk; sjn\$ djusrFkk iNrkn fd; sx, ek=k l sde dsfy, dz vkn\$ n\$sd\$ vf/kdkj gSA
- 12 i pkfyr ljdkjh ifji= dsvuqkj i klfedrkh nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word without overwriting/cutting and submit your sealed offer in duplicate for consideration duly super scribed with tender reference no.,due date and bidder name and address.
2. FAX/e-MAIL offer will not be accepted.Offer should be send through registered/speed post/courier(DTDC or Professional)
3. Validity : Your quotation should be valid for 90 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Tummalapalle central stores.
7. Taxes: Specific rates of taxes,octroi,excies duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Pulivendula should quote F.O.R. delivery at our stores at Tummalapalle.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.