

Rkkj% ; hyl rayki Yyh
Cable : UCIL, Tummalapalle

; jfs; e dkj kjsku vkkd bM; k fyfeVM] rayki Yyh

Qks / Phone : (08588) 282766

(Hkkjr ljdkj dk l bFku)

QSI / Fax : (08588) 282704

Mkd?kj% ekotpayki Yyh] vkk?kz nSk - 516 349

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

Email: : tmplpur@ucil.gov.in

P.O. Mabbuchintalapalle,Vemula(M),Pulivendula,Dist: Y.S.R.,Andhra Pradesh - 516 349

I hfer iNRkkN / Limited Enquiry

Lk es To	1. C 44	fykQkQaij ; g l aHkZ fy[k QUOTE THIS REFERENCE ON THE COVER iNRkkN l 0 / Enquiry No. 2/PE161142/1 Rkkjh[k / Date 12/12/2016 fu; r rkjh[k / Due Date 12/01/2017
	2. E 138	
	3. S 6373	
	4. N 6004	
	5. B 6025	
	6. H 6009	
	7. G 6049	
	8. N 6028	

egk' k;] 9. l 6054
di; k fuEufyf[kr l keku dh iirZ dsfy, fn, x, gekjsi usdsni jh vks vuska dsvuqkj viushkko Hk\$A viushkko "dz
foHkx" dksmi; Qr irsij fu; r rkjh[k l si dZ Mkd }kjk Hk\$A!

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

DZ l 0 Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	CARBOY WIDE MOUTH CODE:583361 MAKE:TARSONS. ()	12 No.
2	CARBOY WITH STOPCOCK CODE:584390 MAKE:TARSONS 20L. ()	5 No.
3	MEASURING BEAKER WITH HANDLEPMP C:441060 CAP:500ML ()	5 No.
4	MEASURING BEAKER WITH HANDLEPMP C:441070 CP:1000ML ()	5 No.
5	FUNNEL PP CONFIRMING TO US FDA21 C:630050 S:75MM. ()	12 No.
6	SEPARATORY FUNNEL PP CONFIRMING C:641110 CAP:250ML ()	2 No.
7	FLASK FILTERING PP CONFIRMING C:442120 CAP:1000ML ()	2 No.
8	PIPETTE BULB NATURAL RUBBER C:034000 CAP:100ML. ()	4 No.
9	HANDY PETTE PIPETTE AID C:033000 CAP:25ML. ()	4 No.
10	WIDE MOUTH BOTTLES C:582240 CAP:500ML. ()	24 No.
11	CENTRIFUGE TUBE CONICAL BOTTOM C:500041 CAP:50ML. ()	100 No.
12	CENTRIFUGE TUBE CONICAL BOTTOM C:500041 CAP:50ML. ()	280 No.
13	WIDE MOUTH BOTTLE PP C:582250 CAP:1000ML. ()	100 No.

14	UTILITY TRAY PP AUTOCLAVABLE 320X260X100 C:242010. ()	6 No.
15	MEASURING BEAKER WITH HANDLE 1000ML, P/P, (431070) ()	5 No.
16	FUNNEL BUCHNER 110MM DIA AUTOCLAVABLE. ()	2 No.
17	PASTEUR PIPETTE CAP:3ML CODE:940050 TRANSO. ()	100 No.
18	CROSS-SPIN MAGNETIC STIRRING BAR, CODE:4191. ()	1 No.
19	WASH BOTTLE NEW TYPE LDPE C:561120 CAP:500ML. ()	24 No.
20	MEASURING CYLINDER CLASS-B CAPACITY 1000ML. ()	3 No.

LABORATORY PLASTIC WARES

Material Description Details as per Annexure-1.

Note: Bidders should send their offer in a sealed cover through

speed Post (or) courier DTDC/Professional) by mentioning our enquiry number On top of the envelop. They should also clearly mention price Term (Freight), taxes in percentage, Delivery period, and payment Term, validity of their offer, guarantee period action their offer.

Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.

vugxud
Enclosures

Hkonh; / Yours faithfully
drs; jfu; e dkji kskv vkd bam; k fyfevM
For URANIUM CORPORATION OF INDIA LIMITED

C MATHIVANAN
Chief Cont. of Purchase

vuoqsk

1 di; k viusnj] fcuk vkøj jkbax@dkV&Nw/sval , oa' kCn eam) r djavk\$ fufonk l aHkz l q; k] fu/kkfjr frffk
, oafufonkdj dsuke rFkk i rk fyf[kr nksi fr; kaeaeqjica i zrko fopkj kFkZ i zr q dja

2 QBI @b&ey l sfufonk Lohdkj ughafd; stk, asA

3 fof/k eku; rk % Hkko bl i Nrkn dh rkjh[k l s90 fnu ; k vf/kd l e; rd fof/keku; gkaspkfg, A

4 l Ei wZ ca 'kqd ; fn dks gk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnx; xh dh 'kr7 gksh] gekjshk.Mkj ij l kexz dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads
Hkhrj ijh dher vnk dh tk, xh A

6 dher 'kr5% vki }kjk Hk\$ sx, eky xlr0; LFkku reykiYyh ij fu%' kqd l opkh dsvk/kkj
ij gk\$ pkfg, A

7 dj % dj pph] mRiknu 'kqd vkfn dh fuf' pr nj tgl ol yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea
, sh ol ry; kadsnkoka ij fopkj ughafd; k tk, xk tc rd fd ; sfQj l su yxkbz tk; aA

8 ek=k % bl eanh xbZ l keku dh ek=k d\$y vuqfur gSA dzk bl eanh xbZ ijh ek=k dsfy, vkn\$ n\$dsfy, ck/;
ughagSA ; fn m\$ r dher vaf' kd ek=k ij ykxw u gksrks, \$k fy[k\$A

9 ueqk % vxj ueu\$e\$stk, arksfcuk fd l h i kjk dsn\$sgk\$svk\$ blga fufonk nkrk dksyk\$; k tkuk vko'; d ugh
gk\$ A

10 l opkh % ifyHkngk eabl dsvkl ikl vofLFkr i frdRrkvkadsgekjshk.Mkj reykiYyh ij l opkh dshko n\$
pkfg, A

11 dzk dksdk\$z Hkh fufonk fcuk dks\$ dkj.k crk; sjn\$ djusrFkk i Nrkn fd; sx, ek=k l sde dsfy, dz vkn\$
n\$sd\$ vf/kdkj gSA

12 i pkfyr ljdkjh ifji= dsvuqkj i klfedrkh nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word without overwriting/cutting and submit your sealed offer in duplicate for consideration duly super scribed with tender reference no.,due date and bidder name and address.
2. FAX/e-MAIL offer will not be accepted.Offer should be send through registered/speed post/courier(DTDC or Professional)
3. Validity : Your quotation should be valid for 90 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Tummalapalle central stores.
7. Taxes: Specific rates of taxes,octroi,excies duty etc. where leviable should be shown separatley otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Pulivendula should quote F.O.R. delivery at our stores at Tummalapalle.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.