

Bid Document

Bid Details	
Bid End Date/Time	19-01-2023 17:00:00
Bid Opening Date/Time	19-01-2023 17:30:00
Bid Offer Validity (From End Date)	180 (Days)
Ministry/State Name	Pmo
Department Name	Department Of Atomic Energy
Organisation Name	Uranium Corporation Of India Limited
Office Name	Kadapa
Total Quantity	24
Item Category	Steel Tables-IS: 8126 (Q3) , Meeting Table (Q3) , Revolving Chair (Version 2) (Q3) , Executive Table (Q3)
Years of Past Experience Required for same/similar service	3 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Type of Bid	Two Packet Bid
Primary product category	Steel Tables-IS: 8126
Time allowed for Technical Clarifications during technical evaluation	3 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Steel Tables-IS: 8126 (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/- 10(mm)	1205.0
	Table Top Width +/-10(mm)	600.0
	Table Height +/-5(mm)	735.0
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	10	45

Steel Tables-IS: 8126 (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Storage	both side
	Total Number of Storage Units	five storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/- 10(mm)	1660.0
	Table Top Width +/-10(mm)	900.0
	Table Height +/-5(mm)	760.0
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

Steel Tables-IS: 8126 (7 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Storage	both side
	Total Number of Storage Units	five storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Table Top Length +/- 10(mm)	1360.0
	Table Top Width +/-10(mm)	690.0
	Table Height +/-5(mm)	735.0
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	7	45

Meeting Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material of Table Top	MDF board conforming to grade II and type II of IS 14587/1998 and laminated with 1.5 mm thick lamination
GENERIC	Seating Capacity	8 SEATER
DIMENSION	Length in mm (Select NA in case of Round Table) ±10(mm)	2200
	Width in mm (Diameter in case of Round Table)±10(mm)	1100
	Thickness of Top ±2(mm)	25, 30, 35, 45, 33 Or higher
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

Revolving Chair (Version 2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERAL REQUIREMENT	Chair mechanism	Knee tilt Synchronic mechanism
	Type of locking	4-Position Locking
	Number of arm movement	2 (Up and Down)
MATERIAL	Pedestal Base	Glass Fiber Nylon
	Armrest Material	Polypropylene
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece injection moulded frame
	Density of PU foam used in seat KG per Cu Meter (± 3)	45
	Density of PU foam used in backrest in KG per Cu Meter (± 3)	N.A
	Backrest upholstered with	Mesh Fabric
	Seat upholstered with	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$(Gram/Square meter)	220 gram
	DIMENSION	Overall width (± 10 mm)
Backrest Height ± 15 mm		650 mm
Backrest Width ± 10 mm		440 mm
Seat Height ± 10 mm		440 mm
Seat Width ± 10 mm		460 mm
Seat Depth ± 10 mm		480 mm
Thickness of MS Plate Joining the under structure with Seat		3 mm
Thickness of Plywood used in Seat ± 1(mm)		12 mm
Thickness of Plywood used in Backrest ± 1(mm)		N.A
Pedestal Size (Diameter in mm) ± 10 mm		650 mm
Thickness of Polyurethane Foam Used in Seat in mm (± 2 mm)		45 mm
Thickness of Polyurethane Foam Used in Backrest in mm(± 2 mm)		N.A
WARRANTY		Warranty period in number of years

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	2	45

Revolving Chair (Version 2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERAL REQUIREMENT	Chair mechanism	Only Revolving without tilting mechanism
	Type of locking	Upright locking
	Number of arm movement	N.A
MATERIAL	Pedestal Base	MS powder coated
	Armrest Material	Polypropylene
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece hot pressed plywood with PU foam
	Density of PU foam used in seat KG per Cu Meter (± 3)	45
	Density of PU foam used in backrest in KG per Cu Meter (±3)	45
	Backrest upholstered with	100% Polyester Fabric
	Seat upholstered with	100% polyester fabric
	GSM/Thickness of fabric ±5%(Gram/Square meter)	220 gram
DIMENSION	Overall width (±10 mm)	690 mm
	Backrest Height ±15 mm	460 mm
	Backrest Width ±10 mm	410 mm

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Height ± 10 mm	440 mm
	Seat Width ± 10 mm	460 mm
	Seat Depth ± 10 mm	480 mm
	Thickness of MS Plate Joining the under structure with Seat	2.5 mm
	Thickness of Plywood used in Seat ± 1 (mm)	12 mm
	Thickness of Plywood used in Backrest ± 1 (mm)	12 mm
	Pedestal Size (Diameter in mm) ± 10 mm	600 mm
	Thickness of Polyurethane Foam Used in Seat in mm (± 2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest in mm(± 2 mm)	35 mm
WARRANTY	Warranty period in number of years	1-year

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	1	45

Executive Table (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Storage provided	Both side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Thickness of table top ± 2 mm	25.0
	Length of table top ± 10 mm	1800.0
	Depth of table ± 10 mm	900.0
	Height of table ± 10 mm	725.0
	Dimension of leg(mmXmm) ± 5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Double storage
FOOTREST	Material thickness of footrest ± 2mm	N.A
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, MC PALLE (POST), VEMULA (MANDAL), YSR KADAPA DISTRICT, AP	2	45

Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Pre Qualification Criteria

- a) Bidder should have a valid GST registration and should submit a copy of it along with part-1 of their offer, failing which their offer shall be rejected.
- b) Bidder should be manufacturer of Godrej Make (or) their authorized dealer. Authorized dealer should submit valid authorization certificate along with part-1 of their offer, failing which their offer shall be rejected.
- c) Bidder should submit previous purchase order copies as a proof of being supplied similar items to any of the company during the current (or) last 03 financial years ending with 31.03.2022 along with part-1 of their offer, failing which their offer shall be rejected.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---