



## Bid Document/ बिड दस्तावेज़

Bid D	Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-05-2025 09:00:00		
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-05-2025 09:30:00		
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	155 (Days)		
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo		
Department Name/विभाग का नाम	Department Of Atomic Energy		
Organisation Name/संगठन का नाम	Uranium Corporation Of India Limited		
Office Name/कार्यालय का नाम	Jaduguda		
क्रेता ईमेल/Buyer Email	civilmill.jad@nic.in		
ltem Category/मद केटेगरी	Customized AMC/CMC for Pre-owned Products - Annual Civil maintenance works at Jaduguda mill area Quantity based- 2025 (01 Year); Civil; Annual Maintenance Contract (AMC); Monthly; Yes		
Contract Period/अनुबंध अवधि	1 Year(s)		
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No		
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	Νο		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Νο		
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Νο		
Type of Bid/बिड का प्रकार	Two Packet Bid		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days		
Estimated Bid Value/अनुमानित बिड मूल्य	2997275		

Bid D	Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	
Financial Document Indicating Price Breakup Required/मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है	Yes	
Arbitration Clause	No	
Mediation Clause	No	

## EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	29973

## ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
PBG Percentage(%)/ईपीबीजी प्रतिशत (%) 5.00	
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

## Beneficiary/लाभार्थी :

Chief Manager A/c Works JADUGUDA, Department of Atomic Energy, URANIUM CORPORATION OF INDIA LIMITED, PMO (Posibabu I)

## MII Compliance/एमआईआई अनुपालन

MII Compliance/एमआईआई अनुपालन	Yes	
-------------------------------	-----	--

## MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
-------------------------------------------	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the OM\_No.1\_4\_2021\_PPD\_dated\_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if the credentials of the service provider are validated online in GeM profile as well as validated and approved by the Buyer after evaluation of submitted documents. 2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Price Bid AMCQ - 1746587200.xlsx

Additional Qualification/Data Required/अतिरिक्त योग्यता / आवश्यक डेटा

Scope of Work:<u>1746587481.pdf</u>

Special Terms and Conditions/Penalty/Payment Terms pertaining to the Bid/Contract:<u>1746587487.pdf</u>

Product/Equipment Details:<u>1746587630.pdf</u>

Financial Breakup Required: <u>1746587639.pdf</u>

Customized AMC/CMC For Pre-owned Products - Annual Civil Maintenance Works At Jaduguda Mill Area Quantity Based- 2025 (01 Year); Civil; Annual Maintenance Contract (AMC); Monthly; Yes (1)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Values
Core	
Product category	Annual Civil maintenance works at Jaduguda mill area Quantity based- 2025 (01 Year)
Product Brand	Civil
Type of service	Annual Maintenance Contract (AMC)
Preventive Maintenance Frequency	Monthly
Manpower Required	Yes
Addon(s)/एडऑन	

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी

S.No./क्र. R सं.		Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity of product/ equipment	Additional Requirement/अतिरिक्त आवश्यकता
	1	Sulabh Kumar Bais	832102,AT/PO-JADUGUDA MINES MAIN BUILDING URANIUM CORPORATION OF INDIA LTD	1	<ul> <li>Number of months within the contract period for which service is required : 12</li> </ul>

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

## 1. Generic

OPTION CLAUSE: The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration

## 2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

URANIUM CORPORATION OF INDIA LIMITED payable at JADUGUDA

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

## 3. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

URANIUM CORPORATION OF INDIA LIMITED Account No. 33135840169 IFSC Code SBIN0000227 Bank Name STATE BANK OF INDIA Branch address IADUGUDA

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

## 4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

URANIUM CORPORATION OF INDIA LIMITED payable at JADUGUDA . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to

#### 5. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

URANIUM CORPORATION OF INDIA LIMITED Account No. 33135840169 IFSC Code SBIN0000227 Bank Name STATE BANK OF INDIA Branch address JADUGUDA

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

#### 6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

#### <u>"Annual Civil maintenance works at Jaduguda mill area Quantity based- 2025 (01 Year)</u>

#### Estimated amount = Rs. 29,97,275.00 /-

#### Duration of Bid = 12 Months (365 days)

## Earnest Money Deposit (EMD) (D.D./Banker's cheque only in favour of Uranium Corporation of India Li mited Only)

### EMD Amount = Rs. 29,973.00 /-

#### The eligible criteria to qualify in Techno commercial Part are as below:-

**1)** Average Annual financial turnover during the last 3(Three) consecutive financial years, ending on 31.03.2023 sha II be at least 30% (8.99 Lakhs) of the estimated cost supported by the audited annual accounts of each year.

**2)** Bidder shall have successfully completed similar worksduring last 7 years ending last day of month previous to the one in which bids are invited should be either of the following:

a)Three(3) similar completed works costing not less than the amount equal to 40% (11.99 lakhs) of the estimated co st

or

b)Two (2) similar completed works costing not less than the amount equal to 50%(14.99 lakhs) of the estimated co st

or

c)One (1) similar completed works costing not less than the amount equal to 80% (23.98 lakhs) of the estimated cos t.

The corporation may request to the bidder to visit the proposed work site to well acquaint about the site work before filling the rate /submit the Bid.

# 3) Bidders must attach Work Order and work done certificate mentioned executed amount and date of completion.

4) Similar works means "Experience in execution of work with any Central / State Govt Organization / PSU for Civil Construction work or Civil Maintenance work."

#### 5) Scope of work-

- 1. Earthwork Excavation for foundation column.
- 2. Concrete work PCC (1:4:8) and RCC(1:1.5:3).
- 3. Brick work with common burnt. (1:6) mix.
- 4. 15 mm Plaster (1:6) ratio.
- 5. Dismantling of RCC & Brick Work for existing old foundation.
- 6. All transport vehicles arrange by the contractor.
- 7. All materials will be supplied by contractor within given time frame by EIC.

Note:-Contractors are advised to see thearea get acquainted with the actual features of the land where work is to b e executed and get other related information before quoting their rates for carrying out the work successfully.

#### **TECHNICAL SPECIFICATION**

1. All work for civil item shall be carried out as per latest Indian standard, CPWD/ISI and MOST specification which s hall form part of this specification and instruction of the Engineer in Charge in case of conflict or where an aspect of work is not covered by the Indian Standard and specification Engineers instruction shall be strictly followed.

2. All the fine and coarse aggregate shall conform to latest IS-383/MOST specification.

#### 6) Penalty-

Penalty Clause will not be applicable for this Bid.

**7)** Labour escalation- Labour escalation will be paid in this contract as per given formula. The Labour wage escal ation will be paid taking labour component @30% as per formula mentioned below up to the scheduled completion date including duly approved Time Extension, if any, on the items mentioned in the schedule of the items and rates. No escalation will be attracted for the period beyond duly approved time extension.

V = [30% x (L -Lo)/Lo] x W, Where

V = Extra amount to be paid in Rupees

- Lo = Rate of unskilled workmen as Chaibasa as on opening of Bid
- L = Rate of unskilled workmen as per ALC (C), Chaibasa for the period undeconsideration.

W = Total Value of work done in Rupees for the period under consideration.

**<u>8)</u>** Security Deposit /Performance Security- In addition to ePBG- 5% as mentioned in Gem Bid, additional 5 % e PBG as Security deposit shall be applicable. Therefore Total amount of Security deposit shall be limited to 10 % of th e awarded value of work. (As per Schedule- F of GCC Page No. 71 of 71 of NIT).

ePBG Detail-

Advisory Bank - State Bank of India

ePBG Percentage - 10.00 %

SD Amount - Rs. 2,99,728.00 /-

Duration of ePBG required - 18 months.

## <u>9) EMD Details -</u>

Advisory Bank - State Bank of India

EMD Amount - Rs. 29,973.00 /-

## 10) Schedule of Quantity -

	Uranium Corporation Of India Limited : Jaduguda			
so	SOQ: "Annual Civil maintenance works at Jaduguda mill area Quantity based- 2025 ( 01 Year)"			
S. L. N o.	Description	Quantity	Unit Per	
1	Earth work in excavation in foundation, trenches , road etc. in all soils mixed with gravels, includi ng dressing the sides, trimming and prepairing t he bed for foundation, de-watering, including ref illing the excavated stuff around the foundation, watering, consolidating etc. complete as per dra wing, specification and instruction of the EIC. Up to 1.5 m depth.	275.00	Cum	
2	Laying plain cement concrete 1:2:4 (1 cement : 2 sand : stone aggregate 20 mm maximum size) for floors, drain, pavement, hard surfacing inclu ding loading, unloading, transportation of mater ials from stock yard to work site. Finishing concr ete surface, in line, level, curing, de-watering et c. all complete as per specification and instructi on of the EIC.	45.00	Cum	
3	1st class brick work with bricks in foundation an d plinth in cement mortar 1:6 (1 cement : 6 san d) to correct, line, level, and plumb including rak ing out the joints, curing, de-watering, loading, unloading, transporting materials from stock yar d to work site etc. all complete as per specificati on, drawing and directed by EIC.	45.00	Cum	

4	1st class brick work with bricks in superstructur e at all heights in cement mortar 1:6 (1cement : 6 sand) to correct, line, level, and plumb including raking out the joints, curing, scaffoldin g, loading, unloading, transporting materials fro m stock yard to work site. Etc. all complete as p er specification, drawing and directed by Engine er-in-charge.	45.00	Cum
5	Laying plain cement concrete 1:11/2 :3 (1 ceme nt : 1 ½ sand : 3 stone aggregate) for Mill tunion casting and gap filling between iron liner inside Mill shell and leveling & gap filing with concrete inside cone crusher and jaw crusher (conical sha pe) finishing the concrete surface with 1:3 ceme nt mortar (1 cement : 3 sand) including cleaning the surface removing oily substance, scaffolding , form work , line, level, curing etc. including dis mantling the existing concrete, complete in all r espect as per the direction of the Engineer-in-ch arge. ( The work shall be carried out during shutdown/ break down period at any time on A/B/C or G shift as and when required approx. cement requ ired 3 bags, approx. labour required -4 nos with mason for 12 to 16 hors. for one time completin g the job including idle time.	21.00	Each full ti me op eratio n
6	Supply and fixing TMT bars of 500D and above f or reinforced cement concrete work / brick work including transporting, decoiling, straightening, cutting, derusting, bending, placing in position a t all height and binding with binding wire etc. co mplete as per drawing , specification and instruc tion of the Engineer-in-charge.	1750.00	Kgs
7	12 mm thick cement plaster to all brick / concret e works etc. in walls of surfaces in cement mort ar 1:6 (1 cement : 6 sand) including scaffolding , backing the surface , smoothen finishing to corr ect line level, plumb as required, curing loading, unloading, transportation of materials from stoc k yard to work site etc. complete at all levels etc . complete as per drawing , specification and ins truction of the Engineer-in-charge.	2000.00	SQM
8	Neat Cement Punning (1.5 mm), curing, carriag e of water with all leads of lifts.	1000.00	Sqm

9	Laying RCC 1:2:4 (1 cement : 2 sand :4 aggrega te) in all foundation plinth level using 20 mm no minal size in foundation, column, footings bases pump foundation , wall etc. including pocketing , grouting, mixing , placing in position compactin g curing , loading, unloading transportation of materials, from stock yard to work site, de-wate ring (excluding the cost of steel reinforcement w hich will be paid separetly)etc. All complete as p er specification and drawing or as directed by E ngineer-in-charge.	45.00	Cum
1 0	Laying RCC 1:1 <sup>1</sup> / <sub>2</sub> :3 in super structure at any lev el (1 cement : 2 sand : 4 graded stone aggregat e) using 20 mm nominal size including mixing, p lacing in position, compacting in columns, floors , roofs, lintels, beams, slabs, etc. and including p repairing of the top surface, finishing , curing ma terials from stock yard to work site all complete as per drawing and specification and instruction of the Engineer - in- charge.	20.00	Cum
1 1	Demolishing (at any level) various grade <b>plain c</b> <b>ement concrete/ reinforced cement concret</b> <b>e/ Brick work</b> in foundation, floor etc. and disp osal of material and boulder within 3 km lead by department dumper including stacking servicea ble materials at site as per instruction of the Eng ineer-in-charge.	40.00	Cum
1 2	Filling available excavated earth (excluding rock ) in plinth, trenches, sides of foundation etc. in I ayers not exceeding 20 cm in depth, consoliding each deposited layer by ramming (allow for brec king up lumps, shrinkage etc.) watering lead up to 50 meter and lift up to 50 meter complete as directed by Engineer-in-charge.	70.00	Cum
1 3	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement c oncrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but , excluding cost of reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III ) : 3 graded stone aggregate 20 mm nominal siz e).	15.00	Cum

1 4	Providing and fixing straight shuttering for concr ete works to anywhere at any level (Including st aging) including strutting, providing etc. for all t ype of works. And removing of form or striking o ut after completion of works as directed and spe cified by the Engineer-in-charge.	150.00	Sqm
1 5	Providing corrugated G.S. sheet roofing includin g vertical / curved surface fixed with polymer co ated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I . limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets comple te (up to any pitch in horizontal/ vertical or curv ed surfaces), excluding the cost of purlins, rafter s and trusses and including cutting to size and s hape wherever required. 0.63 mm thk with zinc coating not less than 275 gm/m <sup>2</sup>	410.00	Sqm
1 6	Providing and fixing on wall face unplastisied rid ge PVC Rain Water Pipe conforming to IS : 1359 2 type – A including clampling , bolting , welding , scaffolding etc. as required jointing with seal ri ng conforming to IS : 5382 leaving 10 mm gap f or thermal expansion , including providing bend , tee , shoe, coupler etc. all complete from roof I evel to ground level.	110.00	Mtr
1 7	Snowcem painting with water proof cement of r equired shade Two coats to give an even shade on old work including, scaffolding, curing repairi ng the plaster surface with cement mortar 1:4 e tc. all complete as per specification or as directe d by the Engineer-in-charge.	700.00	Sqm
1 8	Providing and fixing factory made ISI marked ste el glazed doors & window , ventilators , side / to p/centre hung , with breading and all members s uch as F7D , F4B , K11 B and K12 B etc. complet e of standard rolled steel sections , joints mitred and flash butt welded and sash bars tenoned an d riveted , including providing and fixing of hing es , pivots , including priming coat of approved s teel primer , but excluding the cost of other fitti ngs , complete all as per approved design , (sectional weight of only steel members shall be measured for payment).	300.00	Kgs

1 9	Renewing glass panes, with putty and nails wher ever necessary including racking out the old put ty, Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	70.00	Sqm
2 0	White washing with lime on old work Two coats t o give and even shade for walls, ceiling etc. at al I height including scaffolding cleaning sand pape ring the surface adding gum, blue etc. complete as per specification and instruction of EIC.	750.00	Sqm
2 1	Jungle clerance including weeding out shrubs an d small tree and their removal as per direction o f EIC	13750.0 0	Sqm
2 2	Providing and fixing white vitreous china water c loset squatting pan(Indian type) : Long pattern W.C. pan of size 580 mm	4.00	Nos
2 3	Providing and fixing P.V.C. low level flushing cist ern with manually controlled device (handle lev er) conforming to IS : 7231, with all fittings and f ixtures. 10 litre capacity - White	4.00	Nos
2 4	Providing and fixing white vitreous china flat bac k or wall corner type lipped front urinal basin of <b>430x260x350 mm or 340x410x265 mm</b> size s respectively.	4.00	Nos
2 5	Providing and fixing wash basin with C.I. bracket s, 15 mm C.P. brass pillar taps, 32 mm C.P. bras s waste of standard pattern, including painting o f fittings and brackets, cutting and making good walls wherever req,White Vitreous China Angle b ack wash basin size 400 x 400 mm with single 1 5 mm C.P. brass pillar tap	4.00	Nos
2 6	Providing and fixing aluminium die cast body tu bular type universal hydraulic door closer (havin g brand logo with ISI, IS : 3564, embossed on th e body, door weight upto 35 kg and door width u pto 700 mm), with necessary accessories and sc rews etc	7.00	Nos
2 7	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than gr ade AC 10 as per IS: 1868) transparent or dyed t o required colour or shade with necessary screw s etc. complete. <b>125x63x4 mm.</b>	27.00	Nos

2 8	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dy ed to required colour or shade, with necessary s crews etc. complete. <b>300x10 mm or 150 x 10</b>	54.00	Nos
2 9	Providing and fixing brass bib cock of approved quality : <b>15 mm / 20 mm nominal bore</b>	54.00	Nos
3 0	Providing and fixing brass stop cock of approved quality : <b>15 mm /20 mm nominal bore</b>	54.00	Nos
3	Providing and fixing Chlorinated Polyvinyl Chlori de (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & b rass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes joi nting of pipes & fittings with one step CPVC solv ent cement and testing of joints complete as per direction of Engineer in Charge. <b>15 mm / 20 m</b> <b>m / 25 mm nominal outer dia Pipes</b>	210.00	Mtr
3 2	Renewal of old putty of glass panes (length)	700.00	Mtr
3 3	Wall painting with acrylic emulsion paint of appr oved brand and manufacture to give an even sh ade,2 or more coats on new work	260.00	Sqm
3 4	Supplying and fixing Multi purpose fibre (high im pact poly propelene reinforced) cement with pol ymer coated J or L hooks bolts and nuts 8mm di a. GI plain and bitumen washers or with self drilling fastener, board 8 mm thick	70.00	Sqm
3 5	Providing and fixing ball valve (brass) of app. qu ality, High or low pressure, with plastic floats co mplete, <b>15 mm / 20 mm /25 mm nominal b</b> <b>ore</b>	80.00	Nos
3 6	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm includi ng strengthening with 2 mm dia wire or nuts, bol ts and washers as required complete as per the direction of EIC, Made of G.I. wire of dia 4 mm	150.00	Sqm

3 7	Laying of armored telephone cable one or more in a same trench by excavating trench in all typ e of soil of 400 mm width and 750 mm depth inc luding protecting the cable by laying of bricks b oth side of the cable and filling the sand in betw een the bricks including laying one layer of brick s over the sand filling the trenches with availabl e excavated earth, ramming and dressing compl ete or as directed by EIC.	1000.00	Mtr	
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	-----	--

## 7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

# Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Any ATC clause in contravention with GeM GTC Clause 4 (xiii)(h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
- 16. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 17. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or

bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is governed by the <u>General Terms and Conditions/सामान्य</u> नियम और शर्ते, conditons stipulated in Bid and <u>Service Level Agreement</u> specific to this Service as provided in the Marketplace. However in case if any condition specified in General Terms and Conditions/सामान्य नियम और शर्ते is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश के विडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश को बिडर हम वाता सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---