

URANIUM CORPORATION OF INDIA LIMITED
(Govt. of India Enterprise)
TURAMDIH MINES, EAST SINGHBHUM

UCIL/TMD/CIV-MILL/2022/1

May 12, 2022

To

- 1) M/s Sri Sai Construction, Harharguttu
- 2) M/s A. K. Enterprises, Jaduguda
- 3) M/s Sakti Construction, Namotola

Q U O T A T I O N

Sub: Mastic lining in Barren EL Tank area and spillage thickener under flow area at Turamdih

Dear Sir,

You are invited to offer sealed quotation for the subject work schedule of quantity in duplicate) in the enclosed schedule of quantity based on the terms and conditions given below: -

1. TAXES: The quoted rates should be inclusive of all taxes and duties.
2. Completion time of work: Total work should be completed within **(60 days) Sixty days**, from the date of commencement of work, which shall be within 03 days from the date of issue of work order.
3. The offer must be valid for six months from the date of tender opening, and no contractor shall be allowed to withdraw his/their offer within this period
4. There will be defect liability period for this work shall be 06 (Six) months from the date of completion of this work.
5. The price quoted should be firm and no escalation on any account whatsoever will be entertained / paid by the Corporation.
6. Payment would be released by Jamshedpur/Jaduguda cheque.
7. One RA & final bill will be paid for this work.
8. All the rates quoted by Tender shall be inclusive of cost of all materials **except Cement**, labour, tools, tackles, plant and machinery necessary to complete the work at no extra cost to corporation for any item.
11. No any carriage/transportation for any material except otherwise stated in schedule of quantities shall be paid by the department for this work. Contractor should quote their rates accordingly.
12. Quantity of an individual item may vary to any extent and be excluded altogether. Contractor will carryout all works up-to a total variation of $\pm 10\%$ (ten) on the contract price and all quoted rates shall remain firm within this limit.

- 13. Contractor must quote their rates against all the items in Schedule of quantities supplied along with this tender. If any contractor fails to quote any of the items, they have to execute without any payment.**
14. Scope of Work: Mastic lining in Barren EL Tank area and spillage thickener under flow area at Turamdih.
15. Contractor has to follow guidelines of AERB (Atomic Energy Regulatory Board) issued time to time.
16. Quotations must be submitted in the enclosed schedule of quantity (original and two copies in Xerox of the same) duly signed along with seal of the agency. Quotation shall be submitted in a sealed envelope and to be deposited in the office of Manager (Pers), Turamdih upto **20.05.2022** (12.00 Noon) and will be opened on same day at 3.30 P.M at Turamdih.
- 17. All other terms and conditions shall be applicable as per General conditions of UCIL's tender norms.**

Either in full or part thereof or to split up if necessary without assigning any reason whatsoever.

Thanking you,

Yours faithfully,
For Uranium Corporation of India Ltd.

(Vikas Kumar)
Addl. Supdt (Civil)

Encl: Schedule of quantity – 1 set

Copy to :-
1) Manager (Pers), TMD
2) Addl. Manager (A/C's.), TMD

Schedule of Quantity for: Mastic lining in Barren EL Tank area and spillage thickener under flow area at Turamdih

Quotation No: UCIL/TMD/CIV-MILL/2022/1, dated 12.05.2022

Item No.	Description of item	Qty	Unit	Rate		Total in words	Amount	
				Rs.	P		Rs.	P
1	Providing and laying bitumen mastic wearing course (as per specifications) with industrial bitumen of grade 85/25 conforming to IS : 702, prepared by using mastic cooker and laid to required level and slope, including providing antiskid surface with bitumen precoated fine grained hard stone chipping of approved size at the rate of 0.005 cum per 10 sqm and at approximate spacing of 10 cm centre to centre in both directions, pressed into surface protruding 1 mm to 4 mm over mastic surface, including cleaning the surface, removal of debris etc. all complete. (Considering bitumen using 10.2% as per MORTH specification). 40 mm thick	300.00	Sqm					
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	30.00	CUM					
3	Providing and laying in position cement concrete of specified grade excluding cost of centering and shuttering – All work upto plinth level: 1 : 1½ : 3 (1 Cement : 1½ Coarse sand (zone-III : 3 graded stone aggregate 20 mm nominal size). Cement will be issued by the Corporation.	15.00	CUM					
Total								
Rebate if any in words (.....)					%			
Grand Total								
	Total in words							

